EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		input adj device and (connect$6 with Line$1 or trace$6 or draw$6 adj line$1 adj connect$6) adj (((input$6 or press$6) adj keys) and sequential$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/18 10:33
		character$1 adj input$6 adj device$1 and (connect$6 with Line$1 or trace$6 or draw$6 adj line$1 adj connect$6) and ((input$6 or press$6) adj keys) and sequential$6 and form$6 and (alphabet$6 adj character$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/18 10:30
		input$6 adj device$6 and (processor or cpu or control$6 or micro-processor or computer) and (memory or storage) and table and (key$6 and press$6) and actuate$6 adj sequence$6 and	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 12:40
L3	0	input adj device and line$1 adj join$6 adj actuat$6 adj key$6 adj sequence$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/18 13:43
L4	0	input adj device and line$1 adj join$6 adj consecutive adj key$6 adj sequence$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/18 13:44
L5	0	input adj device and line$1 adj join$6 adj consecutive adj press$6 adj key$6 adj sequence$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/18 13:44
L6	0	input adj device and line$1 adj join$6 and (consecutive adj press$6 adj key$6 adj sequence$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/18 13:45
L7	0	input adj device and line$1 adj join$6 and (consecutive adj press$6 adj key$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/18 13:45
L8	0	input adj device and line$1 adj join$6 and (consecutive and press$6 adj key$6 adj sequence$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/18 13:45

EAST Search History

L9	0	input adj device and line$1 adj join$6 and (consecutive and depress$6 adj key$6 adj sequence$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/18 13:45
L10	1	input adj device and line$1 adj join$6 and (consecutive and depress$6 adj key$6 and sequence$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/18 13:45
S1	2061	character$1 adj input$6 adj device$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 13:20
S2	18	character$1 adj input$6 adj device$1 and data adj processor and memory and key$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 11:48
S3	0	character$1 adj input$6 adj device$1 and data adj processor and memory and key$6 and table and key$6 adj actuate$6 adj sequence$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 11:49
S4	0	character$1 adj input$6 adj device$1 and processor and memory and key$6 and table and key$6 adj actuate$6 adj sequence$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 11:49
S5	1	character$1 adj input$6 and processor and memory and key$6 and table and key$6 adj actuate$6 adj sequence$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 11:50
S6	1	input$6 adj device$6 and character$1 adj input$6 and processor and memory and key$6 and table and key$6 adj actuate$6 adj sequence$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 11:50
S7	6	input$6 adj device$6 and character$1 adj input$6 and processor and memory and key$6 and table and actuate$6 adj sequence$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 11:52

S8	7	input$6 adj device$6 and character$1 adj input$6 and (processor or cpu or control$6 or micro-processor or computer) and memory and key$6 and table and actuate$6 adj sequence$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 11:53
S9	7	input$6 adj device$6 and character$1 adj input$6 and (processor or cpu or control$6 or micro-processor or computer) and (memory or storage)and key$6 and table and actuate$6 adj sequence$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 11:54
S10	22	input$6 adj device$6 and character$1 and (processor or cpu or control$6 or micro-processor or computer) and (memory or storage)and key$6 and table and actuate$6 adj sequence$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 12:29
S11	21	input$6 adj device$6 and (processor or cpu or control$6 or micro-processor or computer) and (memory or storage)and table and (character$1 and key$6) and represent$6 and actuate$6 adj sequence$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 12:36
S12	10	input$6 adj device$6 and (processor or cpu or control$6 or micro-processor or computer) and (memory or storage) and table and (key$6 and press$6) and actuate$6 adj sequence$6 and (represent$6 and alphanumeric and character$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 12:40
S13	10	input$6 adj device$6 and (processor or cpu or control$6 or micro-processor or computer) and (memory or storage) and table and (key$6 and press$6) and actuate$6 adj sequence$6 and (generat$6 and alphanumeric and character$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 12:40
S14	27	input$6 adj device$6 and (processor or cpu or control$6 or micro-processor or computer) and (memory or storage) and table and (key$6 and press$6) and actuate$6 adj sequence$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 12:41
S15	604	character$1 adj input$6 adj device$1 and (processor or cpu or control$6 or micro-processor or computer) and (memory or storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 12:53

S16	12	character$1 adj input$6 adj device$1 and (processor or cpu or control$6 or micro-processor or computer) and ((memory or storage) adj table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 12:59
S17	0	character$1 adj input$6 adj device$1 and retrace$6 adj character and (per and sequenc$6 and key$6 and press$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 13:01
S18	0	character$1 adj input$6 adj device$1 and retrace$6 adj character and (sequenc$6 and key$6 and press$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 13:02
S19	80	character$1 adj input$6 adj device$1 and (retrace$6 or draw$6 and character) and (connect$6 and sequenc$6 and key$6 and press$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 13:03
S20	80	character$1 adj input$6 adj device$1 and ((retrace$6 or draw$6) and character) and (connect$6 and sequenc$6 and key$6 and press$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 13:03
S21	32	character$1 adj input$6 adj device$1 and ((retrace$6 or draw$6) and character) and (connect$6 and sequenc$6 and key$6 adj press$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 13:04
S22	14	character$1 adj input$6 adj device$1 and ((retrace$6 or draw$6) and character) and (connect$6 and sequenc$6 and key$6 adj press$6) and "345"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 13:04
S23	43	wai and sze	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 13:17
S24	2	wai and sze and character	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 13:19
S25	1	wai and sze and input adj device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 13:19

EAST Search History

S26	1	wai and sze and to and input adj device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 13:19
S27	1	wai and sze and to	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 13:19
S28	0	character$1 adj input$6 adj device$1 and (input$6 or press$6) and keys and ((draw$6 or retrace$6) and (alphabet$6 and charcter$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 13:22
S29	0	character$1 adj input$6 adj device$1 and ((input$6 or press$6) and keys) and ((draw$6 or retrace$6) and (alphabet$6 and charcter$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 13:23
S30	135	character$1 adj input$6 adj device$1 and ((input$6 or press$6) and keys) and ((draw$6 or retrace$6) and (alphabet$6 and character$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 13:23
S31	65	character$1 adj input$6 adj device$1 and ((input$6 or press$6) adj keys) and ((draw$6 or retrace$6) and (alphabet$6 and character$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 13:23
S32	32	character$1 adj input$6 adj device$1 and ((input$6 or press$6) adj keys) and ((draw$6 or retrace$6) and (alphabet$6 adj character$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 13:24
S33	0	character$1 adj input$6 adj device$1 and ((input$6 or press$6) adj keys) and ((draw$6 or retrace$6) adj (alphabet$6 adj character$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 13:24
S34	0	character$1 adj input$6 adj device$1 and ((draw$6 or retrace$6) adj (alphabet$6 adj character$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 13:24
S35	19	character$1 adj input$6 adj device$1 and (connect$6 and ((input$6 or press$6) adj keys) and form$6 and (alphabet$6 adj character$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/18 10:25

S36	12	character$1 adj input$6 adj device$1 and (connect$6 and ((input$6 or press$6) adj keys) and sequential$6 and form$6 and (alphabet$6 adj character$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/18 10:28
S37	6	character$1 adj input$6 adj device$1 and (connect$6 with Line$1 or trace$6 or draw$6 adj line$1 adj connect$6) and (((input$6 or press$6) adj keys) and sequential$6 and form$6 and (alphabet$6 adj character$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/18 10:31
S38	0	input adj device and (connect$6 with Line$1 or trace$6 or draw$6 adj line$1 adj connect$6) adj (((input$6 or press$6) adj keys) and sequential$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/18 10:34
S39	0	input adj device and (connect$6 with Line$1 or trace$6 or draw$6 adj line$1 adj connect$6) adj (((input$6 or press$6) adj (keys or button$1)) and sequential$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/18 10:34
S40	0	input adj device and (connect$6 adj Line$1 or trace$6 or draw$6 adj line$1 adj connect$6) adj (((input$6 or press$6) adj (keys or button$1)) and sequential$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/18 10:35
S41	0	input adj device and (connect$6 and Line$1 and draw$6 and between) adj (((input$6 or press$6) adj (keys or button$1)) and sequential$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/18 10:36
S42	3105	input adj device and (connect$6 and Line$1 and draw$6 and between) and (((input$6 or press$6) adj (keys or button$1)) and sequential$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/18 10:37
S43	155	input adj device and (connect$6 adj Line$1 and draw$6 and between) and (((input$6 or press$6) adj (keys or button$1)) and sequential$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/18 10:37
S44	4	input adj device and (connect$6 adj Line$1 and draw$6 adj between) and (((input$6 or press$6) adj (keys or button$1)) and sequential$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/18 10:38

6/18/06 1:47:42 PM

Page 6

C:\Documents and Settings\pdharia\My Documents\EAST\Workspaces\10692859 character input method and character input device.wsp

EAST Search History

S45	3	input adj device and (connect$6 adj Line$1 and draw$6 adj between) and (((input$6 or press$6) adj (keys or button$1)) and sequential$6) and form$6 and character$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/18 13:41
S46	0	input adj device and (connect$6 adj Line$1 and draw$6 adj between) and (((input$6 or press$6) adj (keys or button$1)) and sequential$6) and form$6 adj character$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/18 10:38

6/18/06 1:47:42 PM

Page 7

C:\Documents and Settings\pdharia\My Documents\EAST\Workspaces\10692859 character input method and character input device.wsp

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		input adj device and (connect$6 with Line$1 or trace$6 or draw$6 adj line$1 adj connect$6) adj (((input$6 or press$6) adj keys) and sequential$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/18 10:33
		character$1 adj input$6 adj device$1 and (connect$6 with Line$1 or trace$6 or draw$6 adj line$1 adj connect$6) and ((input$6 or press$6) adj keys) and sequential$6 and form$6 and (alphabet$6 adj character$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/18 10:30
		input$6 adj device$6 and (processor or cpu or control$6 or micro-processor or computer) and (memory or storage) and table and (key$6 and press$6) and actuate$6 adj sequence$6 and	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 12:40
L1	12	character$1 adj input$6 adj device$1 and (connect$6 and ((input$6 or press$6) adj keys) and sequential$6 and form$6 and (alphabet$6 adj character$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/18 10:28
L2	6	character$1 adj input$6 adj device$1 and (connect$6 with Line$1 or trace$6 or draw$6 adj line$1 adj connect$6) and (((input$6 or press$6) adj keys) and sequential$6 and form$6 and (alphabet$6 adj character$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/18 10:31
L3	0	input adj device and (connect$6 with Line$1 or trace$6 or draw$6 adj line$1 adj connect$6) adj (((input$6 or press$6) adj keys) and sequential$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/18 10:34
L4	0	input adj device and (connect$6 with Line$1 or trace$6 or draw$6 adj line$1 adj connect$6) adj (((input$6 or press$6) adj (keys or button$1)) and sequential$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/18 10:34
L5	0	input adj device and (connect$6 adj Line$1 or trace$6 or draw$6 adj line$1 adj connect$6) adj (((input$6 or press$6) adj (keys or button$1)) and sequential$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/18 10:35
L6	0	input adj device and (connect$6 and Line$1 and draw$6 and between) adj (((input$6 or press$6) adj (keys or button$1)) and sequential$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/18 10:36

6/18/06 10:41:17 AM

Page 1

C:\Documents and Settings\pdharia\My Documents\EAST\Workspaces\10692859 character input method and character input device.wsp

L7	3105	input adj device and (connect$6 and Line$1 and draw$6 and between) and (((input$6 or press$6) adj (keys or button$1)) and sequential$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/18 10:37
L8	155	input adj device and (connect$6 adj Line$1 and draw$6 and between) and (((input$6 or press$6) adj (keys or button$1)) and sequential$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/18 10:37
L9	4	input adj device and (connect$6 adj Line$1 and draw$6 adj between) and (((input$6 or press$6) adj (keys or button$1)) and sequential$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/18 10:38
L10	3	input adj device and (connect$6 adj Line$1 and draw$6 adj between) and (((input$6 or press$6) adj (keys or button$1)) and sequential$6) and form$6 and character$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/18 10:39
L11	0	input adj device and (connect$6 adj Line$1 and draw$6 adj between) and (((input$6 or press$6) adj (keys or button$1)) and sequential$6) and form$6 adj character$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/18 10:38
S1	2061	character$1 adj input$6 adj device$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 13:20
S2	18	character$1 adj input$6 adj device$1 and data adj processor and memory and key$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 11:48
S3	0	character$1 adj input$6 adj device$1 and data adj processor and memory and key$6 and table and key$6 adj actuate$6 adj sequence$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 11:49
S4	0	character$1 adj input$6 adj device$1 and processor and memory and key$6 and table and key$6 adj actuate$6 adj sequence$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 11:49
S5	1	character$1 adj input$6 and processor and memory and key$6 and table and key$6 adj actuate$6 adj sequence$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 11:50

6/18/06 10:41:17 AM

C:\Documents and Settings\pdharia\My Documents\EAST\Workspaces\10692859 character input method and character input device.wsp

Page 2

EAST Search History

S6	1	input$6 adj device$6 and character$1 adj input$6 and processor and memory and key$6 and table and key$6 adj actuate$6 adj sequence$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 11:50
S7	6	input$6 adj device$6 and character$1 adj input$6 and processor and memory and key$6 and table and actuate$6 adj sequence$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 11:52
S8	7	input$6 adj device$6 and character$1 adj input$6 and (processor or cpu or control$6 or micro-processor or computer) and memory and key$6 and table and actuate$6 adj sequence$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 11:53
S9	7	input$6 adj device$6 and character$1 adj input$6 and (processor or cpu or control$6 or micro-processor or computer) and (memory or storage)and key$6 and table and actuate$6 adj sequence$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 11:54
S10	22	input$6 adj device$6 and character$1 and (processor or cpu or control$6 or micro-processor or computer) and (memory or storage)and key$6 and table and actuate$6 adj sequence$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 12:29
S11	21	input$6 adj device$6 and (processor or cpu or control$6 or micro-processor or computer) and (memory or storage)and table and (character$1 and key$6) and represent$6 and actuate$6 adj sequence$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 12:36
S12	10	input$6 adj device$6 and (processor or cpu or control$6 or micro-processor or computer) and (memory or storage) and table and (key$6 and press$6) and actuate$6 adj sequence$6 and (represent$6 and alphanumeric and character$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 12:40
S13	10	input$6 adj device$6 and (processor or cpu or control$6 or micro-processor or computer) and (memory or storage) and table and (key$6 and press$6) and actuate$6 adj sequence$6 and (generat$6 and alphanumeric and character$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 12:40

EAST Search History

S14	27	input$6 adj device$6 and (processor or cpu or control$6 or micro-processor or computer) and (memory or storage) and table and (key$6 and press$6) and actuate$6 adj sequence$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 12:41
S15	604	character$1 adj input$6 adj device$1 and (processor or cpu or control$6 or micro-processor or computer) and (memory or storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 12:53
S16	12	character$1 adj input$6 adj device$1 and (processor or cpu or control$6 or micro-processor or computer) and ((memory or storage) adj table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 12:59
S17	0	character$1 adj input$6 adj device$1 and retrace$6 adj character and (per and sequenc$6 and key$6 and press$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 13:01
S18	0	character$1 adj input$6 adj device$1 and retrace$6 adj character and (sequenc$6 and key$6 and press$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 13:02
S19	80	character$1 adj input$6 adj device$1 and (retrace$6 or draw$6 and character) and (connect$6 and sequenc$6 and key$6 and press$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 13:03
S20	80	character$1 adj input$6 adj device$1 and ((retrace$6 or draw$6) and character) and (connect$6 and sequenc$6 and key$6 and press$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 13:03
S21	32	character$1 adj input$6 adj device$1 and ((retrace$6 or draw$6) and character) and (connect$6 and sequenc$6 and key$6 adj press$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 13:04
S22	14	character$1 adj input$6 adj device$1 and ((retrace$6 or draw$6) and character) and (connect$6 and sequenc$6 and key$6 adj press$6) and "345"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 13:04

S23	43	wai and sze	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 13:17
S24	2	wai and sze and character	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 13:19
S25	1	wai and sze and input adj device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 13:19
S26	1	wai and sze and to and input adj device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 13:19
S27	1	wai and sze and to	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 13:19
S28	0	character$1 adj input$6 adj device$1 and (input$6 or press$6) and keys and ((draw$6 or retrace$6) and (alphabet$6 and charcter$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 13:22
S29	0	character$1 adj input$6 adj device$1 and ((input$6 or press$6) and keys) and ((draw$6 or retrace$6) and (alphabet$6 and charcter$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 13:23
S30	135	character$1 adj input$6 adj device$1 and ((input$6 or press$6) and keys) and ((draw$6 or retrace$6) and (alphabet$6 and character$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 13:23
S31	65	character$1 adj input$6 adj device$1 and ((input$6 or press$6) adj keys) and ((draw$6 or retrace$6) and (alphabet$6 and character$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 13:23
S32	32	character$1 adj input$6 adj device$1 and ((input$6 or press$6) adj keys) and ((draw$6 or retrace$6) and (alphabet$6 adj character$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 13:24

S33	0	character$1 adj input$6 adj device$1 and ((input$6 or press$6) adj keys) and ((draw$6 or retrace$6) adj (alphabet$6 adj character$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 13:24
S34	0	character$1 adj input$6 adj device$1 and ((draw$6 or retrace$6) adj (alphabet$6 adj character$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/17 13:24
S35	19	character$1 adj input$6 adj device$1 and (connect$6 and ((input$6 or press$6) adj keys) and form$6 and (alphabet$6 adj character$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/18 10:25